



## **Horse Weigh®**

Neuadd Isaf  
Penybont  
Llandrindod Wells  
Powys LD1 5SW  
United Kingdom

Tel: **+44 (0) 1939 220667**

Fax: **+44 (0) 1939 220667**

Mobile: **+44 (0) 7774 783247**

Email: **william@horseweigh.com**

Web: **horseweigh.com**



**@horse\_weigh**

# HORSE WEIGH®

The Original Manufacturers and Distributors of Mobile Weighing Platforms



By Appointment to  
Her Majesty The Queen  
Supply and Maintenance  
of Horse Weighing Equipment  
Horse Weigh, Powys

# GOODWOOD

The all new 'Space Age' mobile weighing platform suitable for many types of animal using Formula One and aerospace technology, this is our lightest and most mobile weighing platform.

## Specifications

Product Weight	28.4Kg	(62.5lbs) 2 equal pieces
Height off ground	6.3cm	(2.48")
Horse standing area	1.92m x 0.96m	(75.6" x 37.8")
Weight range	0.1Kg - 1500kg	(0.22lbs - 3300lbs)

Assembly - less than 2 minutes      **60%** lighter than previous lightweight models

Astroturf flooring      Transporting bags and component boxes

Bluetooth recording technology of all data, including daily liveweight gain analysis

# GOODWOOD



# GOODWOOD



Catches

Rubber edged end





# GOODWOOD

Carrying bags



Transport

# TOKYO - THOROUGHbred

## Specifications

Product Weight	124Kg	(273.37lbs)
Two end sections	27Kg	(59.53lbs) each
Middle section	32Kg	(70.55lbs)
Ramps	13Kg	(28.66lbs)
Rail	12Kg	(26.46lbs)
Height off ground	0.128m	(5.03")
Horse standing area	2.14m x 0.98m	(84.3" x 38.4")
Two end sections	0.41m long x 0.98m wide	(16.15" x 38.4")
Middle section	1.32m long x 0.98m wide	(51.99" x 38.4")
Ramps	0.49m x 0.98m	(19.3" x 38.4")

Complete aluminium construction

Green rubber flooring

EziWeigh 5 digital read out unit, mains rechargeable.

Maximum weight capacity 1500Kg (3300lbs)

Fits easily into a small hatchback

Ideally situated beside a wall



# TOKYO - THOROUGHBRED



# TOKYO

## Specifications

Product Weight	86Kg	(189lbs)
Two end sections	27Kg	(59.53lbs) each
Middle section	32Kg	(70.55lbs)
Height off ground	0.128m	(5.03")
Horse standing area	2.14m x 0.98m	(84.3" x 38.4")
Two end sections	0.41m long x 0.98m wide	(16.15" x 38.4")
Middle section	1.32m long x 0.98m wide	(51.99" x 38.4")

Complete aluminium construction

Green rubber flooring

EziWeigh 5 digital read out unit, mains rechargeable.

Maximum weight capacity 1500Kg (3300lbs)

Fits easily into a small hatchback

May be upgraded to Tokyo - Thoroughbred



# OLYMPIC

## Specifications

Product Weight	198Kg	(435.6lbs)
Height off ground	0.108m	(4.5")
Horse standing area	2.14m x 1.22m	(84.3" x 48")
Ramps	0.80m x 1.22m	(31.5" x 48")

25% wider than standard models

Complete aluminium construction

Green rubber flooring

EziWeigh 5 digital read out unit, mains rechargeable. Mounted on the platform.

Foamex lined internal sides

Maximum weight capacity	1500kg	(overload capacity 3000Kg)
	3300lbs	(overload capacity 6600lbs)

Transporting Trolley





# CURRAGH

## Specifications

Product Weight	163Kg	(358.6lbs)
Height off ground	0.108m	(4.5")
Horse standing area	2.14m x 0.975m	(84.3" x 38.4")
Ramps	0.80m x 0.975m	(31.5" x 38.4")

Complete aluminium construction

Black rubber flooring

EziWeigh 5 digital read out unit, mains rechargeable. Mounted on the platform.

Maximum weight capacity	1500kg	(overload capacity 3000Kg)
	3300lbs	(overload capacity 6600lbs)

Transporting Trolley





# CHELTENHAM

## Specifications

Product Weight	138Kg	(303.6lbs)
Height off ground	0.108m	(4.5")
Horse standing area	2.14m x 1.22m	(84.3" x 48")
Ramps	0.80m x 1.22m	(31.5" x 48")

25% wider than standard models

Complete aluminium construction

Green rubber flooring

EziWeigh 5 digital read out unit, mains rechargeable. Wall mounted or hand held.

Maximum weight capacity	1500kg	(overload capacity 3000Kg)
	3300lbs	(overload capacity 6600lbs)

Transporting trolley

May be upgraded to the Olympic model

# CHELTENHAM



# NEWMARKET

## Specifications

Product Weight	111Kg	(244.2lbs)
Height off ground	0.108m	(4.5")
Horse standing area	2.14m x 0.975m	(84.3" x 38.4")
Ramps	0.80m x 0.975m	(31.5" x 38.4")

Complete aluminium construction

Black rubber flooring

EziWeigh 5 digital read out unit, mains rechargeable. Wall mounted or hand held.

Maximum weight capacity	1500kg	(overload capacity 3000Kg)
	3300lbs	(overload capacity 6600lbs)

Transporting Trolley

May be upgraded to the Curragh model

# NEWMARKET



# KENTUCKY

## Specifications

Product Weight	94Kg	(206.8lbs)
Height off ground	Sunken in pit - Sits level with ground	
Horse standing area	2.14m x 1.22m	(84.3" x 48")
Pit Dimensions	2.175m x 1.245m x 0.112m (85.6" x 49" x 4.4")	

25% wider than standard models

Complete aluminium construction

Green rubber flooring

EziWeigh 5 digital read out unit, mains rechargeable. Wall mounted or hand held.

Maximum weight capacity	1500kg	(overload capacity 3000Kg)
	3300lbs	(overload capacity 6600lbs)

Supplied with detachable lifting/carrying handles

Please note this model cannot be upgraded to other models





# BADMINTON

## Specifications

Product Weight	76Kg	(167.2lbs)
Height off ground	Sunken in pit - Sits level with ground	
Horse standing area	2.14m x 0.975m	(84.3" x 38.4")
Pit Dimensions	2.175m x 1.00m x 0.108m (85.6" x 39.4" x 4.3")	
Complete aluminium construction		
Black rubber flooring		
EziWeigh 5 digital read out unit, mains rechargeable. Wall mounted or hand held.		
Maximum weight capacity	1500kg	(overload capacity 3000Kg)
	3300lbs	(overload capacity 6600lbs)
Supplied with detachable lifting/carrying handles		
Please note this model cannot be upgraded to other models		

# BADMINTON



## Specifications

Product Weight	91Kg	(200.2lbs)
Height off ground	0.108m	(4.5")
Horse standing area	2.14m x 1.22m	(84.3" x 48")

25% wider than standard models

Complete aluminium construction

Green rubber flooring

EziWeigh 5 digital read out unit, mains rechargeable. Wall mounted or hand held.

Maximum weight capacity	1500kg	(overload capacity 3000Kg)
	3300lbs	(overload capacity 6600lbs)

Transporting trolley

May be upgraded to Cheltenham and Olympic models



# BURGHLEY

## Specifications

Product Weight	72Kg	(158.4lbs)
Height off ground	0.108m	(4.5")
Horse standing area	2.14m x 0.975m	(84.3" x 38.4")

Complete aluminium construction

Black rubber flooring

EziWeigh 5 digital read out unit, mains rechargeable. Wall mounted or hand held.

Maximum weight capacity	1500kg	(overload capacity 3000Kg)
	3300lbs	(overload capacity 6600lbs)

Transporting trolley

May be upgraded to Newmarket and Curragh models





# FEATURES

Horses do not need to stand still

Quiet weighing environment

Quick, accurate weight recorded to +/- 1%, guaranteed

100% water and sand proof

Use and store outside, including in extreme temperatures

No power source required

Fully charged indicator weighs 700 horses, on average

Robust aluminium construction

Usable on gentle gradients and uneven ground

Mobile – easily transported

Single person operation

Weight range 0.1kg – 1500kg (0.2lbs - 3300lbs) Overload 3000kg (6600lbs)

Recalibration never required

PC and Bluetooth compatible units available

# MOBILITY



Curragh on the move

Tokyo on the move

# ELECTRONICS

All platforms come complete with a handheld EziWeigh 5 Digital Electronic Read-Out Unit, which is mains re-chargeable. A wall mounting bracket is included.

Automatically zeros out any straw, shavings, manure etc on the platform between horse weighings.

The EziWeigh 5 read out unit stabilises out after a few seconds guaranteeing +/- 1% accuracy or 2 resolutions (whichever is greater). Supplied with a backlight feature.

The weight loadcells are not affected by changes in temperature and are qualified IP67 (guaranteed to be waterproof).

The minimum weighing resolution may be specified - ranging from 0.1kg (0.2lbs) to 5kg (11.02lbs). For afterbirths, jockeys, feed or dogs select the 0.1kg (0.2lbs) resolution, and for adult stock select the 0.5kg (1.1lbs) resolution.

The Internal re-chargeable battery is capable of 20 hours continuous weighing (approx. 700 horses). The read out unit turns itself off after 15 minutes of inactivity, preserving battery charge. There is an icon showing level of battery charge. Recharging may occur at any time.

Also available as upgrades to the EziWeigh 5 read-out unit are PC compatible units with memory facilities and horse identification - EziWeigh 7, ID5000, XR5000

# EziWeigh 5



# EziWeigh 7 - Bluetooth enabled





# ID5000 and XR5000, both Bluetooth enabled



# ERS Chip Scanner



# ACKNOWLEDGEMENTS

Laundry Cottage Stud  
Herts, United Kingdom  
[www.laundrycottagestud.com](http://www.laundrycottagestud.com)

Horses and Foals featured:  
Bay filly foal - Sepoy x Dreamily  
Black Mare - Dreamily, s. New Approach  
Bay filly - Gypsy Doli, Dansili x Gypsy Moth

Photography by John Minoprio  
[www.minophoto.co.uk](http://www.minophoto.co.uk)

## **Horse Weigh®**

Neuadd Isaf  
Penybont  
Llandrindod Wells  
Powys LD1 5SW  
United Kingdom

Tel: **+44 (0) 1939 220667**

Fax: **+44 (0) 1939 220667**

Mobile: **+44 (0) 7774 783247**

Email: **william@horseweigh.com**

Web: **horseweigh.com**



**@horse\_weigh**